




REPLACEMENT PARTS

REF NO	PART NUMBER	DESCRIPTION	REF NO	PART NUMBER	DESCRIPTION
1	426-02-354-0039	UPPER GUARD - FRONT (<i>Current Models Only, See Service Note A</i>), INCL:	41A	426-02-104-0004	SPECIAL WASHER W/FLAT (<i>Early Models Only</i>)
2	1087794	RIVET (<i>Current Models Only</i>)	42	904-02-020-1707	LOCK WASHER
3	426-02-754-0004	NAMEPLATE (<i>Current Models Only</i>)	43	902-01-100-1027	3/4-10 HEX NUT
4	406-03-060-0002	KNOB (<i>Current Models Only</i>)	44	438-01-004-0082	CABLE CLAMP - 3/8"DIA
5	426-02-071-0002	DOOR LOCK STUD	45	901-03-010-3318	#10-32 X 3/8" HEX SOC HD SCREW
6	902-01-293-1513	#10-32 KEPS NUT	46	426-02-122-0004	SPRING CLIP W/1/4" HOLE (<i>Current Models Only</i>)
7	902-01-020-1227	1/2-20 JAM NUT	46A	426-02-122-0002	SPRING CLIP W/11/64" HOLE (<i>Early Models Only</i>)
8	904-01-032-2477	FLAT WASHER (<i>Early Models Only</i>)	47	904-03-030-1795	3/16" EXT TOOTH WASHER (<i>Current Models Only</i>)
9	426-03-400-0008	UPPER WHEEL ASSY, INCL:	47A	904-03-030-1760	LOCK WASHER (<i>Early Models Only</i>)
10	426-02-079-0001	SPRING CLIP (<i>Early Models Only</i>)	48	901-03-010-0763	1/4-20 X 3/8" HEX SOC HD SCR (<i>Current Models Only</i>)
11	920-04-010-7273	BEARING	48A	901-02-051-2860	#08-32 X 1/4" FILL HD SCREW (<i>Early Models Only</i>)
12	426-02-094-0003	TIRE	49	426-02-111-0001	HEX STUD
13	426-02-104-0003	SPACER	50	426-02-122-0003	DOOR CATCH
14	901-02-012-1910	3/8-16 X 2 1/4" ROUND HD SCREW	51	901-02-051-2860	#08-32 X 1/4" FILL HD SCREW
15	904-01-010-1615	FLAT WASHER	51A	904-03-030-1760	LOCK WASHER (<i>Early Models Only</i>)
16	426-02-054-0017	BLADE GUARD	52	436-01-016-2001	BUMPER (<i>Early Models Only</i>)
17	426-02-389-0004	UPPER FRAME ASSY, INCL:	53	426-02-026-0003	DUST SPOUT
18	426-02-111-0006	STUD	54	901-03-063-1340	SHOULDER SCREW
19	904-01-010-1615	FLAT WASHER	55	426-02-354-0040	LOWER GUARD ASSY, (<i>Current Models Only, See Service Note B</i>), INCL:
20	901-02-763-1527	5/16-18 X 1/2" HEX WASHER HD SCREW	56	426-02-754-0005	WARNING LABEL (<i>Current Models Only, See Service Note B</i>)
21	426-02-354-0029	REAR GUARD	57	1087794	RIVET (<i>Current Models Only</i>)
22	902-01-133-1529	1/4-20 FLANGE NUT	58	901-02-763-1530	1/4-20 X 1/2" HEX WASHER HD SCR
23	901-02-763-1527	5/16-18 X 1/2" HEX WASHER HD SCREW	59	426-02-071-0002	DOOR LOCK STUD
24	904-01-010-1620	FLAT WASHER	60	902-01-293-1513	#10-32 KEPS NUT
25	426-02-111-0001	HEX STUD	61	406-03-060-0002	KNOB (<i>Current Models Only</i>)
26	426-02-122-0003	DOOR CATCH	65	426-02-354-0030	UPPER GUARD - FRONT (<i>Early Models Only, See Service Note A</i>)
27	901-02-051-2860	#08-32 X 1/4" FILL HD SCREW	66	406-03-060-0001	KNOB (<i>Early Models Only</i>)
27A	904-03-030-1760	LOCK WASHER (<i>Early Models Only</i>)	67	426-02-354-0024	LOWER GUARD ASSY. (<i>Early Models Only, See Service Note B</i>)
28	904-01-032-2477	FLAT WASHER	68	426-02-754-0003	NAMEPLATE W/WARNING LABEL (<i>Early Models Only, See Service Note B</i>)
*	426-02-359-0005	SLIDING BRACKET ASSY, CONST OF:			
29	426-02-106-0004	UPPER WHEEL SHAFT			
30	426-02-059-0001	HINGE			
31	905-04-141-3146	5/16 X 3 1/2" DOWEL PIN			
32	426-02-014-0003	SLIDING BRACKET			
33	426-02-412-0008	KNOB ASSY.			
34	902-04-010-1403	5/16-18 WING NUT			
35	901-04-261-4005	5/16-18 X 2 1/2" THUMB SCREW			
36	928-01-041-3386	COIL SPRING			
37	904-07-010-5572	FIBER WASHER			
38	902-02-050-1317	3/8-16 SQUARE NUT			
39	426-02-327-0003	GUIDE LOCK KNOB			
40	901-01-060-9062	3/4-10 X 2 3/4" HEX HD SCREW			
41	904-01-010-1611	13/16" FLAT WASHER (<i>Current Models Only</i>)			
			70	49-220	HOSE ADAPTER
			71	49-228	HOSE COUPLING


AVAILABLE AS ACCESSORIES

* NOT SHOWN ASSEMBLED

SERVICE NOTES:

A - Current Upper Front Guards (Ref No 1) have Delta Nameplate (Ref No 3).
Early Upper Front Guards (Ref No 65) had no nameplate.

B - Current Lower Guard Assemblies (Ref No 55) have Warning Label (Ref No 56) only.
Early Lower Guard Assemblies (Ref No 67) had combination Delta Nameplate/Warning Label (Ref No 68).



OIL
999-01-013-1210
1 1/2 QUARTS

* WHEN INSTALLING SEAL (REF NO 143)),
CELLOPHANE TAPE SHOULD BE WRAPPED
AROUND THE SHARP EDGES OF THE KEY WAY
SLOT ON THE SHAFT TO AVOID INSTALLATION
DAMAGE TO THE SEAL.


REPLACEMENT PARTS

REF NO	PART NUMBER	DESCRIPTION
*	426-03-305-0007	BASE ASSY. COMPLETE, CONST OF:
100	902-01-201-2560	1-20 HEX NUT
101	426-03-400-0006	LOWER WHEEL, INCL:
102	426-02-094-0003	TIRE
103	920-08-020-5398	BALL BEARING
104	905-04-071-4460	1/4" X 3/4" DOWEL PIN
105	426-03-305-0010	BASE ASSY, INCL:
106	906-00-000-2437	1/2" PIPE PLUG
107	906-00-000-3545	90 DEG STREET ELL
108	906-00-000-2438	1/8" PIPE PLUG
109	426-03-754-0001	WARNING LABEL
110	901-04-170-0261	5/16-18 X 5/16" HEX SOC SET SCREW
111	904-10-211-3871	KNOB
112	426-03-017-0001	BUSHING
113	426-03-108-0002	SHIFT ROD
114	426-03-017-0003	FELT BUSHING
115	908-00-000-3695	O RING
116	927-01-100-2640	HI-PRO KEY
117	426-03-106-0013	SHAFT
118	904-15-010-7420	EXT RETAINING RING
119	926-01-991-5608	DRIVE PULLEY, INCL:
120	920-75-011-3914	BUSHING
121	904-15-010-7420	EXT RETAINING RING
122	905-01-010-2732	5/32" X 1" SPRING PIN
123	426-03-028-0006	CLUTCH
124	904-15-010-7420	EXT RETAINING RING
125	920-04-023-1203	BALL BEARING
126	928-06-021-3393	WAVE WASHER
127	901-04-150-9417	#10-32 X 3/16" HEX SOC SET SCREW
128	905-01-010-2732	5/32" X 1" SPRING PIN
129	426-03-028-0005	CLUTCH
*	426-03-351-0009	GEAR ASSY, CONST OF:
131	426-03-051-0006	BULL GEAR
132	920-07-080-5397	BALL BEARING
133	426-03-079-0002	RETAINER
134	904-10-141-3882	SPACER
135	426-03-031-0004	COVER
136	901-02-010-0559	#10-32 X 1/2" ROUND HD SCREW
137	905-01-010-5075	1/4" X 3/4" SPRING PIN
138	928-07-010-7354	LOAD SPRING
139	920-04-020-5375	BALL BEARING
140	904-15-220-7047	RING
141	426-03-406-0011	SHAFT ASSY
142	927-03-010-2651	2 1/8" KEY
143	908-00-000-5253	SEAL
144	920-04-020-5374	BALL BEARING
145	928-04-020-5375	BALL BEARING
146	426-03-351-0010	GEAR ASSY
147	928-07-010-7354	LOAD SPRING
148	426-03-013-0002	GEAR HOUSING
148A	426-03-116-0001	GASKET (Early Models Only, See Service Note C)
149	901-01-060-0626	1/4-20 X 3/4" HEX HD SCREW
150	905-01-010-5075	1/4" X 3/4" SPRING PIN
151	41-724	PULLEY, INCL:
152	901-04-190-0201	5/16-18 X 5/16" HEX SOC SET SCREW

* NOT SHOWN ASSEMBLED

SERVICE NOTE:




C - Automotive type silicone rubber gasket (RTV) may be used in lieu of paper gasket.



REPLACEMENT PARTS

REF NO	PART NUMBER	DESCRIPTION
200	426-02-055-0001	GUIDE POST
*	426-02-355-0002	UPPER BLADE GUIDE, CONST OF:
201	426-02-089-0002	BRACKET
202	920-08-020-1457	BALL BEARING
203	901-03-040-8015	1/4-20 X 1/2" BUTTON HD SCREW
204	426-02-355-0003	BRACKET ASSY, CONST OF:
204	426-02-014-0004	BRACKET
205	901-04-190-0225	5/16-18 X 1/4" HEX SOC SET SCREW
206	952-02-011-3254	GUIDE BLOCK
207	901-04-260-1520	5/16-18 X 1/2" THUMB SCREW
209	901-04-260-1528	5/16-18 X 1" THUMB SCREW
210	901-03-040-8015	1/4-20 X 1/2" BUTTON HD SCREW
211	902-08-041-3064	5/16-24 SERRATED NUT
212	901-04-150-0297	5/16-24 X 1 3/4" HEX SOC SET SCREW
213	426-02-106-0009	HEXAGON SHAFT
214	901-04-150-0297	5/16-24 X 1 3/4" HEX SOC SET SCREW
215	902-08-041-3064	5/16-24 SERRATED NUT
216	901-04-190-0207	5/16-18 X 1/2" HEX SOC SET SCREW
217	426-02-054-0001	BLADE GUARD
220	426-03-063-0003	INSERT
221	905-01-010-6711	1/8" X 3/8" SPRING PIN
222	426-02-391-0005	TABLE, INCL:
223	426-02-071-0001	PIN
225	901-01-060-0625	7/16-14 X 2 1/4" HEX HD SCREW
226	426-02-027-0001	CLAMP SHOE
227	426-02-095-0002	TRUNNION
228	901-02-763-1530	CAP SCREW
229	901-01-060-0637	7/16-14 X 3 3/4" HEX HD SCREW
230	426-02-027-0001	CLAMP SHOE
231	426-02-395-0002	TRUNNION ASSY, INCL:
232	951-02-010-7832	SCALE
233	903-03-023-1333	RIVIT
234	901-02-763-1530	CAP SCREW
235	928-05-013-1378	WAVE WASHER
236	904-07-010-5571	FIBER WASHER
237	426-02-412-0004	ADJUSTING SCREW W/KNOB
238	901-03-012-2144	#10-32 X 1/4" HEX SOC HD SCREW
239	951-01-010-7802	POINTER
240	904-01-031-2925	FLAT WASHER
241	406-03-138-0004	KNOB
242	901-01-060-0602	5/16-18 X 1 1/4" HEX HD SCREW
243	426-03-388-0001	SET COLLAR ASSY, INCL:
244	901-04-150-0208	1/4-20 X 1/4" HEX SOC SET SCREW
245	904-07-010-5571	FIBER WASHER
246	901-02-030-0408	5/16-18 X 3/4" FLAT HD SCREW
*	426-02-355-0004	LOWER BLADE GUIDE, CONST OF:
247	426-02-004-0001	STEEL RAIL
248	426-02-314-0008	TRUNNION SUPPORT ASSY, INCL:
249	901-01-060-3125	5/16-18 X 2 1/2" HEX HD SCREW
250	1087640	5/16-18 LOCK NUT
251	904-10-101-3166	SPACER
252	426-02-014-0013	ADJUSTING LINK
253	901-04-190-0225	5/16-18 X 1/4" HEX SOC SET SCREW
254	952-02-011-3254	GUIDE BLOCK
255	901-04-190-0225	5/16-18 X 1/4" HEX SOC SET SCREW
256	426-02-098-0001	WEDGE
257	928-01-021-3387	COIL SPRING
259	426-02-106-0011	SHAFT
260	426-02-014-0006	SUPPORT BRACKET
261	952-02-011-3253	ANGLE GUIDE BLOCK
262	920-08-020-1457	BALL BEARING
265	426-02-088-0001	STOP ROD <i>(Early Models Only)</i>
266	901-04-080-0105	SET SCREW <i>(Early Models Only)</i>
267	902-01-010-1300	5/16-18 HEX NUT <i>(Early Models Only)</i>

* NOT SHOWN ASSEMBLED



REPLACEMENT PARTS

REF NO	PART NUMBER	DESCRIPTION
*	50-135	GUARD ASSY, CONST OF:
300	436-01-354-0003	GUARD
301	961-04-041-3410	LATCH
302	436-01-104-0001	SPACER
303	436-01-327-0003	CLAMP ASSY
304	901-02-010-0509	1/4-20 X 1/2" ROUND HD SCREW
305	436-01-016-0005	BUMPER <i>(Current Models Only)</i>
305A	436-01-016-2001	BUMPER <i>(Early Models Only)</i>
306	901-02-010-0525	#10-24 X 1/2" ROUND HD SCREW <i>(Current Models Only)</i>
307	901-02-010-0559	#10-32 X 1/2" ROUND HD SCREW <i>(Intermediate Models Only)</i>
307A	501-07-103-0417	#10-32 X 1/2" HEX HD SCREW <i>(Early Models Only)</i>
307B	901-02-010-0506	5/16-18 X 5/8" ROUND HD SCREW <i>(Current Models Only)</i>
308	904-01-010-1614	FLAT WASHER <i>(Current Models Only)</i>
308A	904-01-010-1614	FLAT WASHER <i>(Intermediate Models Only)</i>
308B	904-03-020-1750	5/16" INT TOOTH WASHER <i>(Early Models Only)</i>
309	436-01-331-0006	COVER ASSY
310	436-01-016-0005	BUMPER
311	436-01-014-0001	BRACKET
312	406-03-060-0002	KNOB <i>(Current Models Only)</i>
312A	406-03-060-0001	KNOB <i>(Intermediate Models Only)</i>
312B	931-01-020-3606	KNOB <i>(Early Models Only)</i>
320	498-111	MATCHED SET OF TWO (2) V-BELTS
321	41-714	PULLEY, INCL:
322	901-04-190-0201	5/16-18 X 5/16" HEX SOC SET SCREW
323	927-03-101-8019	KEY
324	426-03-017-0004	REDUCER - 3/4 TO 5/8"
325	426-03-017-0002	REDUCER - 3/4 TO 1/2"
326	901-04-150-0217	5/16-18 X 1/2" HEX SOC SET SCREW
*	50-122	STAND, CONST OF:
351	901-01-060-0613	5/16-18 X 1 3/4" HEX HD SCREW
352	904-01-010-1605	3/8" FLAT WASHER
353	902-01-503-1514	5/16-18 FLANGE NUT
354	438-01-011-0051	BUSHING INSULATOR
355	426-02-318-0002	CABINET ASSY
356	438-01-011-0065	PLUG
357	438-01-011-0020	INSULATOR
360	436-01-305-0001	SUB BASE
361	902-01-503-1514	5/16-18 FLANGE NUT
362	901-01-060-0607	5/16-18 X 3/4" HEX HD SCREW
363	902-01-503-1514	5/16-18 FLANGE NUT
364	901-11-020-0834	5/16-18 X 3/4" CARRIAGE HD SCREW
365	436-01-004-0006	MOTOR BRACKET
366	901-06-443-1806	#10-24 X 1/2" HEX HD SCR
367	436-01-123-0002	SIDE PANEL
**	901-11-020-0834	(4) 5/16-18 X 3/4" CARRIAGE HD SCREW <i>(Used to mount motor to motor bracket)</i>
**	902-01-503-1514	(4) 5/16-18 FLANGE NUT <i>(Used to mount motor to motor bracket)</i>
*	NOT SHOWN ASSEMBLED	
**	NOT SHOWN	

STANDARD SAFETY EQUIPMENT

In order to promote tool safety, Delta International Machinery Corp. strictly enforces the policy of repairing or replacing any damaged or missing standard safety equipment on machines presented to Delta Authorized Service Center for service/repairs. Any product which is presented to a Delta Authorized Service Center for repairs which contains missing or damaged standard safety equipment will have that equipment repaired or replaced and the customer will be charged for any such service/repairs. Customers can avoid such charges only if the missing safety component is supplied to the service center at the time of repair.

This parts list is provided to aid in obtaining service parts. Copies of the instruction and maintenance literature can be obtained through the Delta Technical Publications Department or through your local service outlet.